

# WELLS PERMITTED

Utah Division of Oil, Gas and Mining

## APPLICATIONS FOR PERMIT TO DRILL APPROVED DURING FEBRUARY 2000

---

---

### COUNTY: CARBON

ANADARKO PETROLEUM CORP WORK TYPE: DRILL PROPOSED DEPTH: 4102	<b>CLAWSON SPRING ST A-2</b> ELEVATION: 6837 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730635	NWNW 36 15.0S 08.0E SURFACE: 1146 FNL 1312 FWL FIELD: UNDESIGNATED
ANADARKO PETROLEUM CORP WORK TYPE: DRILL PROPOSED DEPTH: 4264	<b>CLAWSON SPRING ST A-3</b> ELEVATION: 7039 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730636	NESW 36 15.0S 08.0E SURFACE: 1852 FSL 1348 FWL FIELD: UNDESIGNATED
ANADARKO PETROLEUM CORP WORK TYPE: DRILL PROPOSED DEPTH: 4181	<b>CLAWSON SPRING ST D-6</b> ELEVATION: 6916 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730643	SWSW 31 15.0S 09.0E SURFACE: 0800 FSL 1200 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4325	<b>UTAH 25-391</b> ELEVATION: 6987 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730601	SESW 25 14.0S 08.0E SURFACE: 1284 FSL 1573 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4300	<b>UTAH 25-392</b> ELEVATION: 6938 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730602	NWSE 25 14.0S 08.0E SURFACE: 2045 FSL 1718 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3350	<b>UTAH 19-337</b> ELEVATION: 6262 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730623	NENE 19 15.0S 09.0E SURFACE: 0926 FNL 0768 FEL FIELD: DRUNKARDS WASH
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3300	<b>UTAH 20-334</b> ELEVATION: 6194 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730625	NENW 20 15.0S 09.0E SURFACE: 0932 FNL 1665 FWL FIELD: DRUNKARDS WASH

---

---

### COUNTY: DUCHESNE

BARRETT RESOURCES CORP WORK TYPE: DRILL PROPOSED DEPTH: 5395	<b>UTE TRIBAL 6-25H</b> ELEVATION: 6954 GR PROPOSED ZONE: LOWER GREEN RIVER	API: 4301332143	SENW 25 05.0S 05.0 SURFACE: 2127 FNL 2218 FWL FIELD: BRUNDAGE CANYON
QUINEX ENERGY CORP WORK TYPE: DRILL PROPOSED DEPTH: 16500	<b>E R UTE 5-6A2</b> ELEVATION: 6646 GR PROPOSED ZONE: WASATCH	API: 4301332131	NWNW 06 01.0S 02.0 SURFACE: 0660 FNL 0660 FWL FIELD: BLUEBELL

---

---

**COUNTY: EMERY**

RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3750	<b>UTAH 08-354</b> ELEVATION: 6532 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530395  NWNE 08 16.0S 09.0E SURFACE: 1073 FNL 1914 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3510	<b>UTAH 09-360</b> ELEVATION: 6421 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530397  SWSW 09 16.0S 09.0E SURFACE: 1323 FSL 0881 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3700	<b>UTAH 04-281</b> ELEVATION: 6482 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530399  SWSW 04 16.0S 09.0E SURFACE: 0999 FSL 0896 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4100	<b>UTAH 05-343</b> ELEVATION: 6651 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530400  SENW 05 16.0S 09.0E SURFACE: 1795 FNL 1431 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3950	<b>UTAH 05-344</b> ELEVATION: 6587 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530401  SESW 05 16.0S 09.0E SURFACE: 1316 FSL 1343 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4100	<b>UTAH 06-346</b> ELEVATION: 6731 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530403  SENE 06 16.0S 09.0E SURFACE: 1735 FNL 1096 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4200	<b>UTAH 06-347</b> ELEVATION: 6759 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530404  SENW 06 16.0S 09.0E SURFACE: 1394 FNL 1920 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4110	<b>UTAH 06-349</b> ELEVATION: 6690 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530406  NWSE 06 16.0S 09.0E SURFACE: 1393 FSL 1454 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3440	<b>UTAH 09-359</b> ELEVATION: 6457 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530407  SWNW 09 16.0S 09.0E SURFACE: 1787 FNL 0871 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3200	<b>UTAH 09-361</b> ELEVATION: 6380 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530408  NWSE 09 16.0S 09.0E SURFACE: 1564 FSL 1998 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3500	<b>UTAH 16-366</b> ELEVATION: 6358 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530412  SENW 16 16.0S 09.0E SURFACE: 1397 FNL 1576 FWL FIELD: UNDESIGNATED

TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3275	<b>FEDERAL A 26-88</b> ELEVATION: 6389 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530445  SWNW 26 18.0S 07.0E SURFACE: 1815 FNL 0897 FWL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3135	<b>FEDERAL A 35-89</b> ELEVATION: 6311 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530446  NWSW 35 18.0S 07.0E SURFACE: 1977 FSL 0750 FWL FIELD: BUZZARD BENCH
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3790	<b>FEDERAL P 3-92</b> ELEVATION: 6328 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530448  SESW 03 18.0S 07.0E SURFACE: 0587 FSL 1718 FWL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3920	<b>FEDERAL P 3-93</b> ELEVATION: 6507 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530449  SWNW 03 18.0S 07.0E SURFACE: 2135 FNL 1196 FWL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 4020	<b>FEDERAL T 21-94</b> ELEVATION: 6677 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530450  NENE 21 18.0S 07.0E SURFACE: 0513 FNL 0547 FEL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3505	<b>FEDERAL T 22-69</b> ELEVATION: 6346 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530451  NENE 22 18.0S 07.0E SURFACE: 0870 FNL 0539 FEL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3435	<b>FEDERAL T 22-83</b> ELEVATION: 6385 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530452  SWSE 22 18.0S 07.0E SURFACE: 0539 FSL 1831 FEL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3710	<b>FEDERAL T 22-91</b> ELEVATION: 6467 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530453  NENW 22 18.0S 07.0E SURFACE: 0951 FNL 1973 FWL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3330	<b>FEDERAL T 27-86</b> ELEVATION: 6383 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530455  SENE 27 18.0S 07.0E SURFACE: 1394 FNL 0574 FEL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3660	<b>FEDERAL T 27-87</b> ELEVATION: 6740 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530456  SESE 27 18.0S 07.0E SURFACE: 0872 FSL 0884 FEL FIELD: UNDESIGNATED
TEXACO E & P INC WORK TYPE: DRILL PROPOSED DEPTH: 3600	<b>FEDERAL T 27-90</b> ELEVATION: 6496 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530457  NWSW 27 18.0S 07.0E SURFACE: 2051 FSL 0675 FWL FIELD: UNDESIGNATED

---

---

## COUNTY: UINTAH

COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11563	<b>OURAY 35-94</b> ELEVATION: 4706 GR PROPOSED ZONE: CASTLEGATE	API: 4304733053	NWNE 35 08.0S 21.0E SURFACE: 0478 FNL 1999 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11344	<b>OURAY 1-101</b> ELEVATION: 4697 GR PROPOSED ZONE: CASTLEGATE	API: 4304733382	SENE 01 09.0S 21.0E SURFACE: 1663 FNL 0664 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 8900	<b>OURAY 36-97</b> ELEVATION: 4704 GR PROPOSED ZONE: MESAVERDE	API: 4304733397	SESE 36 08.0S 21.0E SURFACE: 0526 FSL 0599 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11500	<b>HALL 31-130</b> ELEVATION: 4720 GR PROPOSED ZONE: CASTLEGATE	API: 4304733427	NWNE 31 08.0S 22.0E SURFACE: 0705 FNL 2150 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 8900	<b>HALL 31-134</b> ELEVATION: 4721 GR PROPOSED ZONE: MESAVERDE	API: 4304733428	SWNW 31 08.0S 22.0E SURFACE: 2130 FNL 0710 FWL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11500	<b>HALL 6-136</b> ELEVATION: 4705 GR PROPOSED ZONE: CASTLEGATE	API: 4304733437	NWNE 06 09.0S 22.0E SURFACE: 0630 FNL 1890 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9000	<b>HALL 31-131</b> ELEVATION: 4716 GR PROPOSED ZONE: MESAVERDE	API: 4304733438	SWNE 31 08.0S 22.0E SURFACE: 1750 FNL 1865 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9000	<b>HALL 31-133</b> ELEVATION: 4719 GR PROPOSED ZONE: MESAVERDE	API: 4304733439	SENW 31 08.0S 22.0E SURFACE: 2010 FNL 2210 FWL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9000	<b>HALL 6-137</b> ELEVATION: 4703 GR PROPOSED ZONE: MESAVERDE	API: 4304733440	SWNE 06 09.0S 22.0E SURFACE: 2196 FNL 1583 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 4100	<b>OURAY SWD 1</b> ELEVATION: 4697 GR PROPOSED ZONE: GREEN RIVER	API: 4304733449	NENE 01 09.0S 21.0E SURFACE: 0527 FNL 0768 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 11300	<b>OURAY 1-141</b> ELEVATION: 4697 GR PROPOSED ZONE: CASTLEGATE	API: 4304733450	NENE 01 09.0S 21.0E SURFACE: 0544 FNL 0720 FEL FIELD: NATURAL BUTTES

EOG RESOURCES INC

WORK TYPE: DRILL

PROPOSED DEPTH: 7065

**DUCK CREEK 73-10**

ELEVATION: 4742 GR

PROPOSED ZONE: WASATCH

API: 4304733466

NWSW 10 09.0S 20.0E  
SURFACE: 2125 FSL 0750 FWL  
FIELD: NATURAL BUTTES